





ORGANIC HUE in aquamarine, dandelion, cornflower & papaya / SENSE SHEET in stride











Within is a coordinating plank and heterogeneous sheet resilient collection available in both abstract and wood visuals. The collection offers soothing patterns and nature-inspired colorways designed to enhance a calming aesthetic. Featuring coordinating weld rods, Within pairs seamlessly with the solid neutrals and brights of Organic Hue. With patterns and colors inspired by market research and insights, Within has been designed for flexibility in use throughout healthcare environments.

inside the design /

Constructed with an ExoGuard® topcoat, Within provides superior resistance to soil, stains, scratches, scuffs and abrasions, as we as damage from alcohol-based sanitizers.



LOW VOC + FLOORSCORE CERTIFIED



SHEET + PLANK OPTIONS



EASY TO CLEAN + NO POLISH NEEDED



STAIN RESISTANT



SCRATCH RESISTANT



HEAT WELD +
FLASH COVE FOR
SEAMLESS INSTALLATION



HETEROGENEOUS SHEET

Our most versatile product platform for healthcare spaces, heterogeneous sheet offers high performance, easy cleaning and maintenance, and design versatility. With a strong layered construction and our ExoGuard® top-coar our heterogeneous sheet products can withstand soil, staining, scratches and rigorous cleaning. Available in a variety of visuals from natural wood grains to abstract patterns, it's a top performer for any healthcare space.



recommended healthcare spaces /

- · public areas, atriums + cafés
- corridors + walkways
- reception + waiting areas
- nurses' stations
- patient + recovery rooms
- wellness + treatment

SENSE SHEET in strength /
ORGANIC HUE in ice





PATTERNS & SIZES COMPARISON



Pursue Sheet 1623V 2 m x 20.9 m (Sheet) shown in color restful



Pursue Plank Sense Plank 1633V 7.09" x 47.24" shown in color restful



1634V 9" x 36" shown in color esteem



Sense Sheet 1624V $2 m \times 20.9 m$ (Sheet) shown in color esteem



Organic Hue 1320V 1.8 m x 22.9 m (Sheet) shown in color sand

COLORWAYS 1633V + 1623V | PURSUE (PLANK + SHEET)



00720 restful

00730 calm

00740 warmth


COLORWAYS 1634V + 1624V | SENSE (PLANK + SHEET)







00115 strength



00300 care



00400 stride



00450 advance



00520 esteem



00550 engage



00700 promise





WELD ROD COLOR RECOMMENDATIONS

S101V | ORGANIC HUE COLORS*




S101V | PURSUE SHEET COLORS*



S101V | SENSE SHEET COLORS*



^{*}These are suggestions only. Please order samples to ensure desired color match.



- 1 SENSE 1634V in stride
- 2 PURSUE 1633V in natural
- 3 PURSUE SHEET 1623V in restful*
- 4 SENSE SHEET 1624V in ease*
- MARK MAKING 1509V in pure
- 6 ORGANIC HUE 1320V in pistachio*
- 7 HOLISTIC SHADES 1690V in uplift*
- 8 HOLISTIC THRIVE 1691V in pep*
- 9 MEANING 1446V in revamp
- 10 ADMIX I508V in white coral
- 11 BENJAMIN MOORE PAINT in Woodlawn Blue
- 12 BENJAMIN MOORE PAINT in Silver Sage

^{*} Product swatches are meant to represent pattern, not the size and scale of product



- 1 SENSE I634V in promise
- 2 PURSUE 1633V in authentic
- 3 PURSUE SHEET 1623V in calm*
- 4 SENSE SHEET 1624V in strength*
- 5 MARK MAKING 1509V in palette
- 6 ORGANIC HUE 1320V in wheat*
- 7 HOLISTIC SHADES 1690V in natural*
- 8 HOLISTIC THRIVE 1691V in zen*
- 9 MEANING 1446V in integrate
- 10 ADMIX I508V in sundial
- **11** BENJAMIN MOORE PAINT in Elephant Gray
- 12 BENJAMIN MOORE PAINT in Balboa Mist

^{*} Product swatches are meant to represent pattern, not the size and scale of product



PRODUCT SPECIFICATIONS

PURSUE PLANK

style / I633V

7.09" x 47.24" | 18 cm x 120 cm product size

luxury vinyl tile construction

0.020" | 20 mil (0.5 mm) wear layer thickness

total thickness 0.098" | 2.5 mm finish ExoGuard™

glue down installation

installation methods:







PURSUE SHEET

style / I623V

 $78.72 \text{ in x } 68.58 \text{ ft } \mid 2 \text{ m x } 20.9 \text{ m}$ product size

50 sq yds/roll | 41.8 sq m/roll

commercial heterogeneous sheet construction

with fiberglass

0.020" | 20 mil (0.5 mm) wear layer thickness 0.086" | 2.2 mm total thickness finish ExoGuard™ glue down

installation



installation method:

SENSE PLANK

style / I634V

product size 9" x 36" | 22.86 cm x 91.44 cm

luxury vinyl tile construction wear layer thickness 0.020" | 20 mil (0.5 mm)

total thickness 0.098" | 2.5 mm finish ExoGuard™ glue down installation

installation methods:









SENSE SHEET

style / I624V

product size $78.72 \text{ in x } 68.58 \text{ ft } \mid 2 \text{ m x } 20.9 \text{ m}$

50 sq yds/roll | 41.8 sq m/roll

construction commercial heterogeneous sheet

with fiberglass

0.020" | 20 mil (0.5 mm) wear layer thickness 0.086" | 2.2 mm total thickness finish ExoGuard™ installation glue down

installation method:



ORGANIC HUE

style / I320V

product size 72.05 in x 75 ft | 1.8 m x 22.9 m

50 sq yds/roll | 41.8 sq m/roll

construction commercial heterogeneous sheet 0.020" | 20 mil (0.508 mm) wear layer thickness

total thickness 0.087" | 2.2 mm ExoGuard™ finish installation glue down

installation method:

SUSTAINABILITY CERTIFICATIONS

FLOORSCORE® CERTIFIED

ENVIRONMENTAL PRODUCT DECLARATION (EPD) CERTIFIED

HEALTH PRODUCT DECLARATION (HPD)

CERTIFIED