


## SPATIAL PALETTE






SPATIAL PALETTE in marigold and haze / installed in stagger











SPATIAL PALETTE in fog, haze and smoke / installed in stagger








# REWORX:

## WHERE DURABILITY MEETS

## SUSTAINABILITY TO CLOSE THE LOOP.





SPATIAL PALETTE in marigold, haze and sienna / installed in stagger

## COLORWAYS 10617






- 1 SPATIAL PALETTE 10617 in sienna
- 2 SPATIAL PALETTE 10617 in truffle
- 3 SPATIAL PALETTE 10617 in weathered
- 4 CUBE & COLOUR 10427 in clove
- 5 ETCHED 10512 in artfully rusted
- 6 TIMBER GROVE II 1421V in hedgerow
- 7 RESTON I588V in carob
- 8 SELVAGE 10584 in linen-rose
- 9 MEANING 1446V in respond
- 10 SURFACE STRIATION COLOR 10558 in gypsum
- **11** BENJAMIN MOORE PAINT in Fading Twilight
- **12** BENJAMIN MOORE PAINT in Taos Taupe



- 1 SPATIAL PALETTE 10617 in peacock
- 2 SPATIAL PALETTE 10617 in haze
- 3 SPATIAL PALETTE 10617 in smoke
- 4 TIMBER GROVE II 1421V in cactus
- 5 MARK MAKING 1509V in cascade
- 6 RESTON I588V in ermine
- 7 BINARY 10537 in emerald-smoke
- 8 COLOUR EFFECT 10570 in teal-azure
- 9 HEIRLOOM TWEED 10549 in turkish teal
- 10 SURFACE STRIATION COLOR 10558 in tourmaline
- **11** BENJAMIN MOORE PAINT in Overcoat
- 12 BENJAMIN MOORE PAINT in Americana



- 1 SPATIAL PALETTE 10617 in teal
- 2 SPATIAL PALETTE 10617 in marigold
- 3 SPATIAL PALETTE 10617 in joni
- 4 TIMBER GROVE II 1421V in silver
- 5 FLORACULTURE 10529 in marigold
- 6 RESTON I588V in umber
- **7** SELVAGE 10584 in satin-lemon
- 8 ETCHED 10512 in oxidized surface
- 9 ITERATE 1638V in shift
- 10 SURFACE STRIATION COLOR 10558 in jade
- **11** BENJAMIN MOORE PAINT in Water's Edge
- 12 BENJAMIN MOORE PAINT in Cinder



### PRODUCT SPECIFICATIONS

## SPATIAL PALETTE | modular

style / 10617

construction dye method product size

Non-Woven Composite 100% Solution Dyed 12" x 48" | 30.5 cm x 122 cm

total thickness 0.172 inch | 4.37mm  $75\,oz/yd^2\,|\,2540\,g/m^2$ total weight


100% PET fiber type

backing type High Density Non-Woven PET Composite

Glue Down installation

15 Year Commercial Limited warranty

#### INSTALLATION METHODS



#### SUSTAINABILITY CERTIFICATIONS

CRADLE TO CRADLE CERTIFIED® BRONZE V3.1

ENVIRONMENTAL PRODUCT DECLARATION (EPD) CERTIFIED

NSF 140 CERTIFIED

CRI GREEN LABEL PLUS (GLP)

GLP 0082

ENVIRONMENTAL GUARANTEE RE[TURN]® RECLAMATION PROGRAM

TOTAL RECYCLED CONTENT

51%

\*On average, 61 plastic bottles are used to create the material ingredients to make a square yard of ReWorx.

SPATIAL PALETTE in haze, truffle and sienna installed in brick