


# Right Angle



**DEFLECT**  
style 10329

**PIVOT**  
color 00520



on the cover: **DEFLECT** style 10329 | **VEER** color 00590

# Find the Right Angle for Design

Patcraft's first Skinny Tile® collection, **RIGHT ANGLE**, let's you discover new designs with every turn. The rectangular 18" x 36" modular format features strong lines and intersections, allowing for multi-directional designs that change depending on installation method.

# Bend to New Ideas

**DEFLECT** the ordinary and allow ideas to **DIVERGE**. Neutral palettes create a sophisticated look while geometric angles allow for limitless possibilities. Change direction and see where it leads.



**DIVERGE**  
style 10330

**EUCLID**  
color 00150





**DEFLECT**  
style 10329

**EUCLID**  
color 00150

# Turn the Corner on Performance

Made with Solution Q Extreme® nylon and backed by EcoWorx®, this collection is designed for high-performance. Reinforce the performance angle by using LokDots™, our odorless adhesive system designed to virtually eliminate VOC emissions in occupied space installations.

# Explore Flooring from Every Angle


Flooring is the foundation of the built environment. It surrounds and supports us. At Patcraft, we create flooring solutions to maximize performance and human potential. We measure and explore every angle of design, manufacturing, durability, sustainability, installation, maintenance, service, warranties and more to ensure the highest degree of performance.





**DIVERGE**  
style I0330

**FRAME**  
color 00430





# Colorways



**CAMBER** 00115




**EUCLID** 00150



**FINITE** 00415



**SLANT** 00530



**OBLIQUE** 00540



**MITRE** 00550





**FRAME** 00430



**AXIOM** 00510



**PIVOT** 00520



**VEER** 00590



**MOBIUS** 00725




**BISECT** 00730



## Product Specification:

	<b>DEFLECT</b>	<b>DIVERGE</b>
Style Number	I0329	I0330
Product Type	Modular	Modular
Construction	Multi-level Pattern Loop	Multi-level Pattern Loop
Fiber	Solution Q Extreme® Nylon	Solution Q Extreme® Nylon
Dye Method	100% Solution Dyed	100% Solution Dyed
Gauge	1/12th	1/12th
Stitches per Inch	11	11
Tufted Pile Height	6/32" (0.187) High 3/32" (0.093) Low	6/32" (0.187) High 3/32" (0.093) Low
Tufted Yarn Weight	22 oz.	22 oz.
Density	8,250 oz.	7,842 oz.
Secondary Backing	EcoWorx® Tile	EcoWorx® Tile
Tile Size	18" x 36"	18" x 36"

## Recommended Installation Methods:



patcraft®

www.patcraft.com • 800.241.4014

Shaw® © 2013 Shaw, a Berkshire Hathaway Company 103-05-11



Mixed Sources  
Product group from well-managed  
forests and recycled wood or fibre

Cert no. SGS-COC-003913  
www.fsc.org  
© 1996 Forest Stewardship Council